NH Public Utilities Commission

NHPUC 25MAY'16PH12:10

REC Aggregator Portal

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE
Basic Information
Who is submitting this request?
Aggregator
Aggregator Batch Number
KE052216
Are you registered in NH
Yes No
Aggregator name
Knollwood Energy
NH Reg#
Aggregator Email
karenton@knollwoodenergy.com
Other Aggregator name
Other aggregator email address
Facility Name
Facility Owner Name
George Duncan

Facility Owner email
gvd1945@metrocast.net
Owner Phone
603-934-6761
Facility Address
104 New Hampton Rd
Facility Town/City
Franklin
Facility State
NH
Facility Zip
03235
O No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON77792
Date of Initial Operation
05/06/2016
Facility Operator Name, if applicable
acinty Operator Name, il applicable
D104-1
Panel Make #1 Sunpower
Panel Model
E20-327
Panel Quantity
20
Panel Rated Output
327

More Panel types?

NoYes
Panel Make #2
Denot Model
Panel Model
Panel Quantity
Panel Rated Output
More Panel types?
No
O Yes
Panel Make #3
Panel Model
Panal Quantity
Panel Quantity
Panel Rated Output
System capacity based on panels
6540
Inverter Quantity
20
Inverter Make
Enphase Energy
Enphase Energy
Add'l Inverter Quantity
NA
Additional Inverter Make
None

Rated Output - Primary Inverter
215
Rated Output - Additional Inverter
System capacity based on single inverter make
4300
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
6.54
Revenue Grade Meter Make
Hialeah
That can
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Troy Diamond 12218M
Other Electrician Name & Number
Installation Company
Granite State Solar
Other Installation Company Name
Cuter installation company reality
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State

Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
YesNo
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6836588_TtmrdmGg_N4728_Duncan_SrPVCertifical
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.
The project is installed and operating in conformance with applicable building codes.
A copy of the facility's interconnection agreement is attached.

https://fs30.formsite.com/jan1947/files/f-5-168-6836588_cMKYMaGw_Duncan_NHOS.pdf

Please attach additional document here

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-6836588_ddAxvaQt_N4728_Duncan_Sr._PV_-_Process

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Kandon

Print Name

Karen Tonnesen

Date Signed

05/22/2016

Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA

Exhibit B - Certificate of Completion for Simplified Process Interconnections

	EG					
	MAY	0	6	201	6	
By_				un Americani		

Installation Information: Check if owner	r-installed
Customer or Company Name (print): George Dunc	an
Contact Person, if Company:	
Mailing Address: 104 New Hampton Rd	
City: Franklin	State: New Hampshire Zip Code: 03235
Telephone (Daytime): (603) 934-6761	(Evening):
Facsimile Number:	E-Mail Address: gvd1945@metrocast.net \$74335796 as of 1/14/16
Facility Information:	Eversource Meter # 659 338 987 (640 M)
Address of Facility (if different from above):	
City:	State: Zip Code:
Electrical Contractor Contact Information:	
Electrical Contractor's Name (if appropriate): Granit	e State Solar
Mailing Address: 197 North Main St	
City: Boscawen	State: New Hampshire Zip Code: 03303
Telephone (Daytime): (603) 369-4318	(Evening):
Facsimile Number:	E-Mail Address: justin@granitestatesolar.com
License number: 0366 C	
Date of approval to install Facility granted by the Comp	any:12/02/15
Eversource Application 1D number: #N 4728	
Inspection:	
The system has been installed and inspected in compliant City:	County: / New Mack
Signed (Local Electrical Wiring Inspector or aught sign	
Signature: Signature:	
Name (printed): Charles Bodian	Date: 5/6/16
Customer Certification:	
I hereby certify that, to the best of my knowledge, all information is true and correct. This system has been instandards. Also, the initial start-up test required by Puc.	stalled and shall be operated in compliance with applicable
Please remember to provide digital photos of the instarcquired), the existing Eversource meter, the inverter Customer Signature:	allation, including the AC disconnect switch (if
As a condition of interconnection you are required to sen	d/fax a copy of this form to:

Eversource
Distributed Generation
780 North Commercial Street
P. O. Box 330, Manchester, NH 03105-0330
Fax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my hehalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent munitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

GEORGE DUNCAN

Printed Name of signature owner

Signature of system owner

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

	E	G	E		V	E	
]	DEC	picon	2	201	5	
Ву	UACI-M-ACI	WARRING BY	E ZAJMAKOM	MINES,	A. AMELINAN	Contraction of the Contraction o	

Simplified Process Interconnection Application and Service Agreement

	Eversource Applicati	on Project ID#:	N4728
Contact Information:			
Legal Name and Address of Interconnecting Custom	per (or Company name if anno	neista)	
Customer or Company Name (print): George Dunca		priate)	
Mailing Address: 104 New Hampton Rd			
City: Franklin State:	New Hampshire	Zin Codo:	03235
Telephone (Daytime): (603) 934-6761	(Evening):		
Facsimile Number:			ief
	E-Mail Address: 3.		
Alternative Contact Information (e.g., System inst Name: Granite State Solar	tallation contractor or coordinati	ing company, if ap	propriate):
Mailing Address: 197 North Main St			
City: Boscawen State:	New Hampshire	7:- O- I	03303
Telephone (Daytime): (603) 369-4318	(Evening):		
Facsimile Number:			er com
Name:Mailing Address:			
City: State:		7in Code:	
Telephone (Daytime):	(Evening):	zip couc.	
Facsimile Number:	E-Mail Address:	G PATELLA TO	
Facility Site Information: Facility (Site) Address: 104 New Hampton Rd			
	NH	Zip Code:	03235
Electric Service Company: Eversource Accou	nt Number: 56095001095	Meter Num	ber: G59 338 987
Account and Meter Number: Please consult an actual Number on this application. If the facility is to be ins	Eversource electric bill and ent	er the correct Aco	ount Number and Meter
Eversource Work Request #			
Non-Default' Service Customers Only: Competitive Electric			
Energy Supply Company:	Acc	ount Number:	
(Customer's with a Competitive Energy Supply Comp Supply Company.)			r contract with their Energy

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:		
Generator/	Model Name &	
Inverter Manufacturer: SunPower	Number: E19-320	Quantity: 24
Nameplate Rating: .320 (kW)_	(kVA) (AC Volts)	Phase: Single Three
Nameplate Rating: The AC Nameplate ratio		- Date -
System Design Capacity: 7.68	(kW) (kVA) Battery Backup:	Yes No
	of the inverter AC ratings. If there are multiple i	
sum of the AC nameplate ratings of all inve	rters.	
Net Metering: If Renewably Fueled, will th	e account be Net Metered? Yes No [
Prime Mover: Photovoltaic Recipro	ocating Engine Fuel Cell Turbine	Other
Energy Source: Solar Wind Hy	dro Diesel Natural Gas Fuel Oi	il Other
Inverter-based Generating Facilities:		
	To Part Puc 906 Compliance Path For Inverter Un	nits, Part Puc 906.01 Inverter Requirements)
The standard UL 1741.1 dated May, 2007 of	or later, "Inverters, Converters, and Controllers	for Use With Independent Power
systems," addresses the electrical interconn submit their equipment to a Nationally Rec term "Listed" is then marked on the e	nection design of various forms of generating equipment and supporting documentation describing the inverter's UL 1741/IEEE 1547.	puipment. Many manufacturers choose to es compliance with UL 1741.1. This
	The second secon	z mong,
External Manual Disconnect Switch:		
Interconnections For Facilities Pug 005 04 D	all be installed in accordance with 'Part Puc 905 T equirements For Disconnect Switches and 905.02 J	Cechnical Requirements For
Yes No	equivenesies for disconnect Switches and 905.021	Disconnect Switch.
Location of External Manual Disconnect Sy	witch. Next to the meter	
Project Estimated Install Date: November	Project Estimated In-Ser	rvice Date: November
Interconnecting Customer Signature:		
I hereby certify that, to the best of my know	vledge, all of the information provided in this ap	unlication is true and I some to the Tarms
and Conditions for Simplified Process In	terconnections attached hereto:	product is due and ragice to the retime
Customer Stanson MORO ()	all datitle: Homeowner	Date 11/19/19
The same of the sa		
point in relation to the customer service par returned.	e diagram of proposed installation. Diagram n unel and the Eversource meter socket. Applica	rust indicate the generator connection tions without such a diagram may be
	For Eversource Use Only	
Approval to Install Facility:		
Installation of the Facility is approved conti Agreement, and agreement to any system m	ingent upon the Terms and Conditions For Simp	olified Process Interconnections of this
Are system modifications required? Yes		
Company Signature:	Mr Title: 155ac	Sielle Date: 12/7/15
Eversource SPIA rev. 03/14	CHen	Page 7 of 4

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes No 🗆	Date of inspection/Witness Test:
--	----------------------------------

- 1. Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement, easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Pacilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

Eversource SPIA rev. 03/14 Page 3 of 4